
NEW SHINE
www.newshinelighting.com

NEW SHINE

# DECORATIVE RING



Basic information / Advantage / Contact

NEW SHINE

# DECORATIVE RING



## Special Features:

1. Even light distribution, suitable for different applications;

2. Multiple lengths and different tires are available;

3. A various of emmiting ways are available：direct, direct&indirect, inner, outer;

4. Different luminous and ring combinations can be both functional and decorative.

NEW SHINE

# DECORATIVE RING

1. Combine multiple ring with different sizes to create an impressive play of light.
2. Available in inner, outer, down and up& down emitting to meet lighting design.

Inner emitting



Outer emitting



Down emitting



Up&down emitting




NEW SHINE
www.newshinelighting.com

NEW SHINE

# DECORATIVE RING

| Model No. | Picture | Installation | Size (mm) | Size (inch) |
|---|---|---|---|---|
| LL0203S-15W |  | Central canopy suspended with 5ft (1.5m) aircraft cables&power cables | D400*13*70 | D15.7*0.5*2.8 |
| LL0203S-25W | | | D600*13*70 | D23.6*0.5*2.8 |
| LL0203S-35W | | | D800*13*70 | D31.5*0.5*2.8 |
| LL0203S-45W | | | D1000*13*70 | D39.4*0.5*2.8 |
| LL0203S-50W | | | D1200*13*70 | D47.2*0.5*2.8 |
| LL0203S-60W | | | D1500*13*70 | D59.1*0.5*2.8 |
| LL0204UDS-30W (up 15w, down 15w) |  | Central canopy suspended with 5ft (1.5m) aircraft cables&power cables | D400*13*72 | D15.7*0.5*2.8 |
| LL0204UDS-50W (up 25w, down 25w) | | | D600*13*72 | D23.6*0.5*2.8 |
| LL0204UDS-60W (up 30w, down 30w) | | | D800*13*72 | D31.5*0.5*2.8 |
| LL0204UDS-80W (up 40w, down 40w) | | | D1000*13*72 | D39.4*0.5*2.8 |
| LL0204UDS-90W (up 45w, down 45w) | | | D1200*13*72 | D47.2*0.5*2.8 |
| LL0204UDS-100W (up 50w, down 50w) | | | D1500*13*72 | D59.1*0.5*2.8 |
| LL0207S-20W |  | Central canopy suspended with 5ft (1.5m) aircraft cables&power cables | D400*10*20 | D15.7*0.4*0.8 |
| LL0207S-30W | | | D600*10*20 | D23.6*0.4*0.8 |
| LL0207S-40W | | | D800*10*20 | D31.5*0.4*0.8 |
| LL0207S-50W | | | D1000*10*20 | D39.4*0.4*0.8 |
| LL0207S-60W | | | D1200*10*20 | D47.2*0.4*0.8 |
| LL0207S-80W | | | D1500*10*20 | D59.1*0.4*0.8 |
| LL0208S-20W |  | Central canopy suspended with 5ft (1.5m) aircraft cables&power cables | D400*10*20 | D15.7*0.4*0.8 |
| LL0208S-30W | | | D600*10*20 | D23.6*0.4*0.8 |
| LL0208S-40W | | | D800*10*20 | D31.5*0.4*0.8 |
| LL0208S-50W | | | D1000*10*20 | D39.4*0.4*0.8 |
| LL0208S-60W | | | D1200*10*20 | D47.2*0.4*0.8 |
| LL0208S-80W | | | D1500*10*20 | D59.1*0.4*0.8 |



NEW SHINE

# DECORATIVE FRAME



Basic information / Advantage / Contact

www.newshinelighting.com

NEW SHINE

# DECORATIVE FRAME

| Model No. | Picture | Installation | Size (mm) | Size (inch) |
|---|---|---|---|---|
| LL0209S-25W |  | Central canopy suspended with 5ft (1.5m) aircraft cables&power cables | 200*400*70 | 7.9*15.7*2.8 |
| LL0209S-40W | | | 300*600*70 | 11.8*23.6*2.8 |
| LL0209S-50W | | | 400*800*70 | 15.7*31.5*2.8 |
| LL0209S-80W | | | 500*1000*70 | 19.7*39.4*2.8 |
| LL0210UDS-50W (up 25w, down 25w) |  | Central canopy suspended with 5ft (1.5m) aircraft cables&power cables | 200*400*72 | 7.9*15.7*2.8 |
| LL0210UDS-80W (up 40w, down 40w) | | | 300*600*72 | 11.8*23.6*2.8 |
| LL0210UDS-100W (up 50w, down 50w) | | | 400*800*72 | 15.7*31.5*2.8 |
| LL0210UDS-160W (up 80w, down 80w) | | | 500*1000*72 | 19.7*39.4*2.8 |

## Special Features:

1. Stylish hanging lights designs offer excellent direct, direct/indirect lighting;

2. Multiple lengths and different tires are available;

3. Rectangle lighting delivers clean lines and clear rectangle light to interior lighting application.


NEW SHINE




www.newshinelighting.com







NEW SHINE

# Application

Widely used in office, hotel, shopping mall, school, hospital, commercial interiors and other morden buildings.



**New Shine Lighting (Guangzhou) Co., Ltd**
**T:** 86-20-22863929
**E:** info@newshinelighting.com
**A:** Part 2, 2/F, Plant 1,195 Junyi Road, Junan town, Shunde district, Foshan, Guangdong, China 528329
**W:** www.newshinelighting.com